



REVISIONS				
LT#	DESCRIPTION	DATE	REVISED BY	APPROVED
A	INITIAL RELEASE	04/26/05	J. WARDEN	E. LANDIS



- 1 REQUIRED  
 NOTES:  
 1. BREAK SHARP EDGES & DEBURR.  
 2. MACHINED SURFACE FINISH TO BE 63 RMS.  
 3. MACHINED FILLETS TO BE .015 MAX.  
 4. ANODIZE PER MIL-A-8625, TYPE II, CLASS 2 - BLACK.

DO NOT SCALE DRAWING		THIS DRAWING CREATED IN:		Steward Observatory, University of Arizona	
INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5M-2004		ACAD	MECH	ASSEMBLY	935 N. Cherry Avenue, Tucson, AZ 85721 (520)821-7859
TOLERANCES UNLESS OTHERWISE SPECIFIED		FRAMES BY	DATE	CHECKED BY	DATE
FRACTIONAL DECIMAL ANGLES		D. BEAN	05/24/04	M. MAESTRO	
LINES		DRAWN BY	DATE	CHECKED BY	DATE
1/8" = 1"		G. LANDIS	03/21/05	E. LANDIS	04/26/05
DIMENSIONS		APPROVED BY	DATE	TITLE	
SEE SPEC 8-403		J. BECHTOLD	04/26/05	DEWAR SPACER RING PLATE	
MATERIAL		APPROVED BY	DATE	PLATE SIZE SCALE	
AL ALLOY		D. WARDEN	04/26/05	D - 13949	
6061-T6		FINISH		DRAWING NUMBER	
		ASSEMBLY APPLICATION		13949	
				REVISION	
				A	