


REVISIONS				
LTR	DESCRIPTION	DATE	REVISED BY	APPROVED
A	INITIAL RELEASE	11/17/05	R. NAGY	J. BECHTOLD



SCALE 5:1

NOTES:

- BREAK SHARP EDGES & DEBURR.
- MACHINED SURFACE FINISH TO BE 125 RMS OR BETTER.
- MACHINED FILLETS TO BE R.015 MAX.
- ZINC CHROMATE PER ASTM-B-633-98, TYPE II, GOLD.
- NOTED DIAMETERS ARE AFTER ZINC CHROMATE;
ALL OTHER DIMENSIONS ARE BEFORE.
- QTY REQD: 40.

DO NOT SCALE DRAWING		THIS DRAWING CREATED IN:		Steward Observatory, University of Arizona 933 N. Cherry Avenue, Tucson, AZ 85721 (520)621-7659			
INTERPRET DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5M-94		ACAD <input type="checkbox"/>	MECH <input type="checkbox"/>	IDEAS <input checked="" type="checkbox"/>	DESIGNED BY: D. DEAN	DATE: 05/15/05	CATEGORY: MMT
TOLERANCES UNLESS OTHERWISE SPECIFIED		16059	MMT-MAESTRO		DRAWN BY: D. DEAN	10/03/05	PROJECT: MAESTRO
LINEAR	ANGULAR	16058	MMT-MAESTRO		CHECKED BY: R. NAGY	11/14/05	TITLE: TRUSS SPACE FRAME TO WELDMENT FLEX BLOCK PIN FEMALE
.1	± .02	16057	MMT-MAESTRO		APPROVED: J. BECHTOLD	11/17/05	
.XX	± .008	16056	MMT-MAESTRO		APPROVED:		
.XXX	± .008	16055	MMT-MAESTRO		APPROVED:		
DIAMETRICAL SEE SPEC S-002		16054	MMT-MAESTRO		APPROVED:		
MATERIAL		NEXT ASSY		USED ON	PLOT SIZE SCALE:		DRAWING NUMBER:
1040 STEEL					D -		16065
FINISH		ASSEMBLY APPLICATION		CURRENT TIME/DATE/FILE LOCATION:		REVISION:	
4				DRAWING ARCHIVE LOCATION: http://dovinci.as.arizona.edu/ccad/default.html		A	