

# How the "Park" position works with the Schulman Telescope

On a general telescope park positions can be defined by a physical limit switch/indicator or through software by means of defining a particular telescope position. Some software programs also couple the position of "Park" with the action of moving to a park position and then turning off sidereal tracking. Not all software programs do this.

## Schulman Telescope Implementation of Park

Different software programs handle Park in different ways:

| Program          | Behavior   |
|------------------|--|
| <b>LCOGT GUI</b> | Park is a position only. Its state is asynchronous.  |
| <b>ACP</b>       | Park will set park variable (recorded by ACP and LCOGT) to "parked", send to the defined park position and turn off tracking                 |
| <b>TheSky</b>    | Connects to telescope via "ASCOM Mount." In this way, park is only a position. The behavior is like ACP if connected to a Bisque controller. |

## Fixing the common problem

:park\_error.jpg|

From: <https://lavinia.as.arizona.edu/~tscopewiki/> - MOON

Permanent link: [https://lavinia.as.arizona.edu/~tscopewiki/doku.php?id=fixing\\_the\\_park\\_unpark\\_error&rev=1475530121](https://lavinia.as.arizona.edu/~tscopewiki/doku.php?id=fixing_the_park_unpark_error&rev=1475530121)

Last update: 2016/10/03 14:28

