

How the "Park" position works with the Schulman Telescope

On a general telescope park positions can be defined by a physical limit switch/indicator or through software by means of defining a particular telescope position. Some software programs also couple the position of “Park” with the action of moving to a park position and then turning off sidereal tracking. Not all software programs do this.


Schulman Telescope Implementation of Park

Different software programs handle Park in different ways:

| Program | Behavior |
|-----------|--|
| LCOGT GUI | Park is a position only. Its state is asynchronous. |
| ACP | Park will set park variable (recorded by ACP and LCOGT) to “parked”, send to the defined park position and turn off tracking |
| TheSky | Connects to telescope via “ASCOM Mount.” In this way, park is only a position. The behavior is like ACP if connected to a Bisque controller. |

Fixing the common problem

Below is the typical error encountered in ACP.



1. First clear the error by closing the dialog window. If ACP closes, restart ACP.
2. In ACP **Park** the telescope under the **Telescope** menu.
3. Wait approximately 10 seconds for telescope to settle and return.
4. In the **Telescope** menu select **Unpark**.
5. Point the telescope to the next target as normal.

From:
<https://lavinia.as.arizona.edu/~tscopewiki/> - MOON

Permanent link:
https://lavinia.as.arizona.edu/~tscopewiki/doku.php?id=fixing_the_park_unpark_error&rev=1475531263

Last update: 2016/10/03 14:47

