2025/04/16 16:10 1/4

Kitt Peak Rounds

90"

Observing Floor

- 1. Fill dewar
- 2. Dome stowed
- 3. Dome closed
- 4. Mirror cover closed primary, finder scopes
- 5. Windscreens correct positions
- 6. Enough LN2
- 7. Enough water order more?
- 8. Enough gaseous nitrogen?
- 9. Cranes stowed
- 10. Any dome lights burnt out?
- 11. Upper dome lights off
- 12. Elevator light works red and white

Second Floor

- 1. Stuff against heater in break room?
- 2. Water leaks bathroom
- 3. Heater on bathroom in winter
- 4. Drain air compressor
- 5. Water heater leak in air compressor room?
- 6. Walk around entire floor check emergency lights (2)
- 7. Oil leaks under pier
- 8. Electronics shop
- 9. Emergency exit signs (2)

Ground Floor

- 1. Water leaks sink?
- 2. Water leaks transformer room
- 3. Emergency exit sign
- 4. Emergency lights (2)
- 5. Mouse traps

Store Room

- 1. Check mouse traps
- 2. Breaker #8 on in winter to light in blue water box

Dorms

- 1. Water leaks
- 2. Emergency lights
- 3. Emergency exit signs
- 4. Smoke alarms
- 5. Mouse traps
- 6. Heaters on/off?
- 7. Doors, windows closed
- 8. Blinds pulled

Laundry Room

- 1. Water leaks
- 2. Mouse traps
- 3. Outside lint trap

36"

Ground floor

1. Mouse traps/poison

Second floor

- 1. Water leaks janitors closet
- 2. Door closed in winter

Bathroom

- 1. Door closed
- 2. Water leaks
- 3. Heater on

Control room

- 1. Water leaks
- 2. Walk through
- 3. Doors closed in winter

Observing floor

2025/04/16 16:10 3/4

- 1. Scope stowed
- 2. Dome stowed
- 3. Shutter closed
- 4. Scope covered in bad weather

Duplex

- 1. Walk around windows/doors
- 2. Check Scott's apartment once/week

Residence

1. Walk around windows/doors and inside when on vatacion

SuperLOTIS

- 1. Dome drive chain, equal drape, sprockets, pullies, cables
- 2. Mouse traps control room, under sink
- 3. Leaks sink, bathroom
- 4. Dome closed, scope stowed

72"

1. Mouse trap by door when walk in

Bathroom

1. heaters on winter, leaks

Control room

- 1. Emergency light
- 2. Mouse trap
- 3. Trash?

Observing Floor

- 1. Dome stowed?
- 2. Shutter closed?
- 3. Scope stowed?

Last update: public:kitt_peak:bok_90:90_rounds_procedure https://lavinia.as.arizona.edu/~tscopewiki/doku.php?id=public:kitt_peak:bok_90:90_rounds_procedure&rev=1540831188 09:39

From:

https://lavinia.as.arizona.edu/~tscopewiki/ - MOON

Permanent link: https://lavinia.as.arizona.edu/~tscopewiki/doku.php?id=public:kitt_peak:bok_90:90_rounds_procedure&rev=1540831188

Last update: 2018/10/29 09:39

